


# Crop Growth - NDVI(2025) with Soils



Low RELATIVE BIOMASS High	Value
	86 - 120
	81 - 85
	76 - 80
	71 - 75
	66 - 70
	61 - 65
	51 - 60
	41 - 50
	21 - 40
	1 - 20
	0 - 0

Crop:

State: **Wisconsin**  
 County: **Green**  
 Location: **22-4N-8E**  
 Township: **Exeter**  
 Acres: **135.91**  
 Date: **11/6/2025**

Maps Provided By:



© AgriData, Inc. 2023

**surety**  
 CUSTOMIZED ONLINE MAPPING  
 www.AgriDataInc.com



Soils data provided by USDA and NRCS.

Area Symbol: WI045, Soil Area Version: 26

Code	Soil Description	Acres	Percent of field	Soil Drainage	Non-Irr Class *c	*n NCCPI Overall	*n NCCPI Corn	*n NCCPI Small Grains	*n NCCPI Soybeans	NDVI 2025
194C2	Newglarus silt loam, moderately deep, 6 to 12 percent slopes, moderately eroded	41.66	30.6%	Well drained	IIIe	57	57	52	48	73.2
606B	Huntsville silt loam, 2 to 6 percent slopes, rarely flooded	17.46	12.8%	Moderately well drained	Ile	80	80	73	76	74.2
488A	Lawler silt loam, 0 to 3 percent slopes	15.89	11.7%	Somewhat poorly drained	IIW	67	66	62	49	69.1
164E2	Sogn silt loam, 12 to 30 percent slopes, moderately eroded	7.73	5.7%	Somewhat excessively drained	Vlls	31	31	23	21	67.1
257B2	Sylvester silt loam, 2 to 6 percent slopes, moderately eroded	7.26	5.3%	Well drained	Ile	66	66	60	57	78.8
305B	Richwood silt loam, 1 to 6 percent slopes	6.13	4.5%	Well drained	Ile	90	89	79	84	75.1
194B2	Newglarus silt loam, moderately deep, 2 to 6 percent slopes, moderately eroded	5.37	4.0%	Well drained	Ile	59	59	55	49	70.7
184C2	Dodgeville silt loam, 6 to 12 percent slopes, moderately eroded	5.23	3.8%	Well drained	IIIe	62	62	57	48	71.2
141D2	Mifflin loam, 12 to 20 percent slopes, moderately eroded	5.01	3.7%	Well drained	IVe	62	62	54	50	72.3
7124B2	Dodge silt loam, 2 to 6 percent slopes, moderately eroded	5.00	3.7%	Well drained	Ile	79	79	68	74	75.4

Code	Soil Description	Acres	Percent of field	Soil Drainage	Non-Irr Class *c	*n NCCPI Overall	*n NCCPI Corn	*n NCCPI Small Grains	*n NCCPI Soybeans	NDVI 2025
104C2	Lindstrom silt loam, 6 to 12 percent slopes, moderately eroded	4.44	3.3%	Well drained	IIIe	85	85	73	76	71.9
629A	Ettrick silt loam, 0 to 2 percent slopes, frequently flooded	3.87	2.8%	Poorly drained	VIw	52	40	18	52	64.6
246E2	Elk mound sandy loam, 20 to 30 percent slopes, moderately eroded	3.14	2.3%	Well drained	VIIe	10	10	9	4	73.6
353A	Tell silt loam, 0 to 2 percent slopes	2.57	1.9%	Well drained	IIIs	74	73	67	59	76.5
251E2	Northfield loam, 20 to 30 percent slopes, moderately eroded	2.41	1.8%	Well drained	VIIe	12	12	9	5	69.3
194D2	Newglarus silt loam, moderately deep, 12 to 20 percent slopes, moderately eroded	1.21	0.9%	Well drained	IVe	53	53	49	43	70.4
154C2	Lindstrom sandy loam, 6 to 12 percent slopes, moderately eroded	0.92	0.7%	Well drained	IIIe	78	78	67	73	67.9
257C2	Sylvester silt loam, 6 to 12 percent slopes, moderately eroded	0.40	0.3%	Well drained	IIIe	65	65	58	55	73
823C2	Whalan silt loam, 6 to 12 percent slopes, moderately eroded	0.21	0.2%	Well drained	IIIe	64	64	57	55	83.6
Weighted Average					3.08	*n 62.2	*n 61.7	*n 55.2	*n 53	

\*n: The aggregation method is "Weighted Average using all components"

\*c: Using Capabilities Class Dominant Condition Aggregation Method